COMBINATION BRACKETS FOR BRANCH PRACTICE CHAIRS.



SPITTOON HOLDER AND SOCKETS.



This is an improvement on the Closed ring Bracket. Although it has no spring, catch or lock (a slight push on the point of the arm at A opening or closing it), yet there is no possibility of accidental opening.

Price in Iron, Japanned 10s. Od.



Prices.

No. 1. For Iron-frame Chairs, each 2s. Od.

No. 2. For Wood frame Chairs, each 2s. Od.



THE D. M. CO.'S STANDARD BRACKET AND SALIVA EJECTOR COMBINED.



The illustration shows a design which we think an ornamental addition to the surgery. The base is of handsome ornamental cast-iron, polished japaa, and is surmounted by all fluted lacquered copper column. The upper part is nickel-plated, and the table and spittoon arms handsomely japanned black and gold. A special feature of this design is its steadiness: it will carry the heaviest table generally used, loaded with instruments, with perfect safety. For description of Saliva Ejector illustrated above, see page 25.

The design for the base was suggested by Mr. W. H. Dolamore.

Prices.

			£	S.	d.
With	Rosewood Table (see page 29), Spittoon and Tumblers		7	0	0
	Allan ,, (see page 29),		7	16	0
	Allan Table, with drop front bur drawer (see page 21)		8	4	0
	Grigg Table (see page 29), Spittoon and Tumblers		9	6	0
	Holmes Table, Spittoon and Tumblers (as shown)		11	0	0



SALIVA EJECTORS—continued

THE STANDARD.

(Snow's, Improved by Mr. C. ROGERS.)

Where a nortable Saliva Ejector is required, we can confidently recommend this one. It works efficiently, and is an ornament to the surgery. The glass reservoir is filled with water, the flow of which is controlled by the screw above the cover. The water may be regulated to pass through droup by drop, which will work the Ejector efficiently.


to pass through drop by drop, which will work the Ejector emciently.

A zinc waste receiver is supplied, which stands under the hollow base.

Prices.

Tastefully japanned and bright parts nic	kel-pl	lated,	with	£	S.	d.
5 ft. India-rubber Tubing, and glass M				3	3	0
Do. do. with Glass Holder				3	10	0
If fitted with the Dolamore Base (page 24)				4	0	0
Glass Reservoir separately				0	4	6
India-rubber Tubing separately		pe	r ft.	0	0	5
If fitted with S. S. White's improved Cont	ection	for Sa	liva			
Ejectors (see page 27), extra				0	3	0

MOUTH TUBES FOR SALIVA EJECTORS.





SALIVA EJECTORS.

FOR ATTACHMENT TO WALL.

(PLUNKETT'S.)

For using Water from Cistern or Small Reservoir in

Operating Room.

This simple device acts perfectly with a waste pipe 2 or 3 feet long, but the longer the waste pipe the more powerful the Ejector. The fall of water to the Ejector is immaterial, a few feet being sufficient, and the quantity of water consumed is very small—water escaping from the reservoir a drop at a time is ample when the Ejector is in use.

It is shown attached to the wall, the metal tubing being connected by short pieces of india-rubber. It should be screwed to the wall about 2 feet or 2 feet 6 inches from the floor; the tap is then convenient to the hand.

Where the water pressure is great the intervention of a tap in the supply pipe is necessary to control the force and prevent leakage. This tap should be placed a foot or so above the ejector.

These Ejectors are now made to unscrew in centre for cleansing purposes.

Price: Nickel-plated, with Unions for fixing to supply and waste pipes, for instantly removing Ejector for cleansing, etc. £1 1 0



HIGH PRESSURE WITH IMPROVED TAP.

This Saliva Ejector is similar in principle to the "Plunkett," and will work off any water supply but is fitted with an improved tap of the D. M. Co.'s Patent "Non-Leakable" Pattern (see page 54), which enables it to stand high pressure and to work off any system of water supply.

Price: Nickel-plated £1 6 0

THE D. M. CO.'S STANDARD BRACKET.




The lower part of this standard is tastefully japanned, and the upper part, which telescopes into it, is nickel-plated, as are also the adjusting nuts and mounts. It is supplied at the same price with either disc or leg base.

Prices.	-	4	4	
With Rosewood Table (See Page 29), Nickel-plated or Porcelain Spit-	2			
toon, and Tumbler	5	10	0	
With Allan Table (See Page 29), Nickel-plated or Porcelain Spittoon,				
and Tumbler	6	6	0	
With Allan Table with Drop Front Bur Drawer (See Page 21), Nickel-				
plated or Porcelain Spittoon, and Tumbler	6	14	0	
With Grigg Table (See page 29), Nickel-plated or Porcelain Spittoon,				
and Tumbler	7	16	0	
With Holmes Table (See Page 30), Nickel-plated or Porcelain Spittoon,				
and Tumbler	9	10	0	
The above Bracket with Dolamore Base extra	0	10	0	
If with Marrison Spittoon as illustrated	0	2	6	

FOUNTAIN SPITTOONS-continued.

THE HYGIENIC SPITTOON TRAP

PATENT APPLIED FOR.



It is the one objection to a Fountain Spittoon that the waste tube becomes in the course of a short time offensively foul. The Hygienic Trap effectually prevents the escape of these gases, and how it does so, a glance at the sectional illustration will show. A small cup or basin, to contain water, is fixed to the tube by means of lugs-as is well-known, no smells or gases will pass through water. The lugs are made knife-edged on the under side, with the double purpose of minimising the resistance to the flow of



water, and at the same time cutting any mucus or similar obstacles. The whole apparatus is contained in a nickel-plated Casing of small compass so that its

adaptation to any Fountain Spittoon is rather an ornament than a disfigurement. It may occur to some that a fume trap is already provided at the point connecting the waste tube to the floor-plate, but this is not where the evil arises; it is in the waste tube itself that the unpleasant and unwholesome odours accumulate, between the floor plate and the outlet of the bowl.

May be easily adapted to any Fountain Spittoon N.B .- When ordering please state for which kind of Spittoon it is required, Price (Heavily nickel-plated) 15s Od.

METAL SPITTOONS.



In ordering please state for which Spittoon the Funnel is required.

GLASS SPITTOON.

Fig 8. Blue Glass, for hand use or Chair s. d. Bracket, 7 in. high; rim, 7 in. diam.; diameter at neck, 2 in. ... each 3 0

Ruby Glass, ditto, ditto, ditto 4 6



EARTHENWARE SPITTOONS.

Fig. 9. For Chair bracket, jet and gold 12s. 6d.

Fig. 10. For Chair bracket, majolica, small size squat pattern, each 3s. 6d.

We also make a similar pattern to Fig. 10 in enamelled steel, dark blue with white lining ... 3s. 6d



HAND SPITTOON.



A convenient, pattern for use during extraction under nirrous oxide, or other operations under anæsthetics, as it can be held close up to the chin of the patient. Made Size, 2 inches deep, 6 inches in diameter. Dr. Douglas suggested the plain form as shown; the Spittoon is also made with a handle.

Price. s. d.
Without handle ... 8 4
With handle ... 10 6

HOT WATER JUGS.

They are made in ware to match the jet and Gold Spittoons, capacity, 2 pints.

Price, with metal lid ... each 6s. 6d.

